# Annual CIPAC/WHO/FAO Report Form on the Quality Control of Pesticides

MINISTERIO DE AGRICULTURA ALIMENTACIÓN Y MEDIO AMBIENTE

% out of spec

Out of spec

**Country** Spain

Institution Laboratorio Arbitral Agroalimentario

Ministry of Agriculture, Food and the Environment

Address Aguarón, 13. Aravaca

28023 Madrid

Spain

Contact person Luis Manso e-mail: lmanso@magrama.es

Data provided by Labs. of Seville, Valencia and Barcelone have been included

# Sample summary

	Samples	339	329	10.0	2.9
Where one product constitutes	A.I's	172	165	7.0	4.1
one sample	Phys/chem tests	216	213	3	1.4
	Label checks	0	0	0	#DIV/0!

Total

1. Agricultural use 4 suspicious

Active substance

No. of Samples No. of A.I'S Correct A.I. Incorrect A.I. No A.I. out of spec % out of spec

154 172 165 7 0 7 4.07

Phys/Chem tests

No. of Samples No of tests out of spec % out of spec 107 122 3 2.46

Label checks
No. of Samples
No of checks
out of spec % out of spec

#DIV/0

Samples out of spec 1 1- Any sample with one or more parameters out of spec

#### 2. Home and Garden use

Active substance

No. of Samples No. of A.I'S Correct A.I. Incorrect A.I. No A.I. out of spec % out of spec 0 0 #DIV/0!

Phys/Chem tests

No. of Samples No of tests out of spec % out of spec #DIV/0!

Label checks

No. of Samples No of checks out of spec % out of spec #DIV/0!

Samples out of spec 1 - Any sample with one or more parameters out of spec

### 3. Public Health Pesticides

Active substance

No. of Samples No. of A.I'S Correct A.I. Incorrect A.I. No A.I. out of spec % out of spec

Phys/Chem tests

Label checks

No. of Samples No of tests out of spec % out of spec

#DIV/0!

#DIV/0!

Samples out of spec 1 - Any sample with one or more parameters out of spec

## 4. Other uses (Please specify)

Informative quality control

Active substance

No. of Samples No. of A.I'S Correct A.I. Incorrect A.I. No A.I. out of spec % out of spec

Phys/Chem tests

No. of Samples No of tests out of spec % out of spec

94 9

Label checks

No. of Samples No of checks out of spec % out of spec

#DIV/0!

Samples out of spec 1 - Any sample with one or more parameters out of spec

PT's participated in:

Lab. Madrid AAPCO/AFSCA/JUNAN
Lab. Valencia AAPCO/JUNAN

Lab. Valencia AAPCO/JUNAN Lab. Barcelone JUNAN Lab. Seville AAPCO/JUNAN

AAPCO Association of American Pesticide Control Officials (USA)
AFSCA Agence Fédérale pour la Sécurité alimentaire (Belgium)
JUNAN Junta de Andalucía (Spain)

JOHAN Junta de Andanteia (Sp.

Collaborative trials participated in: Lab. Madrid Brodifacoum

Trifloxystrobin